

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**



1/9




FIG. 1




FIG. 2




FIG. 3



3/9




FIG. 4





FIG. 5



4/9



**FIG. 6**



5/9




FIG. 7




6/9

```

@echo off
REM *****
REM Get functional script for reading from generic "gen" devices.
REM *****
REM (c) 2003 Wyse Technology
REM Script "geti2d.bat" Begin
REM *****
REM Output: "get.i2d" Partition Type 2
REM *****
set gVERSION = "get.i2d Version 8.5"
REM *****
REM ***** Remove OLD archive
del get.i2d
REM *****
REM *****
REM Display GET version
set gVERSION > ver.msg
file2img ver.msg
del ver.msg
REM *****
REM ***** Check for OVERLOAD
file2img -if archive/get.i2d
file2img "-<SRCLCIproto><SRCdevice>getOVL.i2d" archive/get.i2d
file2img "-archive/<SRCTMPproto><SRCTMPdevice>get.i2d" archive/get.i2d
file2img -else archive/get.i2d
REM *****
REM Now we create an archive that creates an image for a drive
REM *****
file2img -encode archive/get.i2d "-archive/<ENCproto><ENCdevice><ENCimage>"
REM *****
REM At extraction time, all syntax will be placed into the runtime class "<ENCproto><ENCdevice><ENCimage>"
REM *****
REM *****
REM Script "put.i2d" Generator Begin
REM *****
REM ***** Remove OLD stuff
REM *****
REM ***** Create messages
echo NAND DRIVE 00 > formatmsg.msg
echo No REGISTRY found during RAPPORT restoration (atf) > fake.msg

```

FIG. 8a



7/9

```
REM .....
REM .....
REM ..... Validate Security Key .....
file2img ""<<SRCsec>" ..... archive/get.i2d "<DSTsec>"
REM .....
REM ..... Specify type of test/perform test .....
file2img ""<<SRCTest>" ..... archive/get.i2d "<DSTtest>"
REM .....
REM ..... Check for hostname.arc and copy if there .....
file2img -if archive/get.i2d .....
file2img ""<<DSTLCIproto><DSTdevice>hostname.arc" archive/get.i2d "<DSTTMPproto><DSTTMPdevice>hostname.arc"
file2img -if archive/get.i2d .....
file2img ""<<DSTLCIproto><DSTdevice>wfacas0.reg" archive/get.i2d "<DSTTMPproto><DSTTMPdevice>wfacas0.reg"
file2img -else .....
file2img fake.masg .....
file2img -endif .....
file2img -if ""<<DSTLCIproto><DSTdevice>wfacas0.reg" archive/get.i2d .....
file2img -else .....
file2img fake.masg .....
file2img -endif .....
file2img -endif .....
file2img -endif .....
file2img -endif .....
REM .....
REM ..... Netxfer Model for Archive Creation .....
REM ..... Copy NOR FLASH ..... archive/get.i2d "<PUT09>"
file2img ""<<GET09>" .....
REM ..... Copy CMOS FLASH .....
file2img ""<<GET06>" ..... archive/get.i2d "<PUT06>"
REM ..... Signal Event Format .....
file2img ""<<GET01>" ..... archive/get.i2d "<PUT01>"
REM ..... Copy Allocation/MBR Data .....
file2img ""<<GET07>" ..... archive/get.i2d "<PUT07>"
REM ..... Partition FIX .....
file2img ""<<GET03>" ..... archive/get.i2d "<PUT03>"
REM ..... Copy Partition IMAGE .....
file2img ""<<GET08>" ..... archive/get.i2d "<PUT08>"
REM ..... Partition FIX .....
file2img ""<<GET03>" ..... archive/get.i2d "<PUT03>"
REM ..... Partition FIX .....
file2img ""<<GET04>" ..... archive/get.i2d "<PUT04>"
REM ..... Copy VERSIONS .....
file2img ""<<GET05>" ..... archive/get.i2d "<PUT05>"
REM .....
REM ..... RESTORE hostname.arc if there .....
file2img -if archive/get.i2d .....
file2img ""<<DSTTMPproto><DSTTMPdevice>hostname.arc" archive/get.i2d "<DSTLCIproto><DSTdevice>hostname.arc"
file2img -if archive/get.i2d .....
file2img ""<<DSTTMPproto><DSTTMPdevice>wfacas0.reg" archive/get.i2d "<DSTLCIproto><DSTdevice>wfacas0.reg"
file2img -endif .....
file2img -if archive/get.i2d .....
file2img ""<<DSTTMPproto><DSTTMPdevice>wfacas0.reg" archive/get.i2d "<DSTLCIproto><DSTdevice>wfacas0.reg"
file2img -endif .....
file2img -endif .....
file2img -endif .....
```

FIG. 8b





8/9

```
REM *****
REM ***** Mark End of Transfer (give control back to calling script)
file2img ~EOT      archive/get.i2d      ~EOT
REM *****

REM ***** Cleanup
del formatmsg.msg
del fake.msg
set gVERSION=

REM *****
REM Script "putgeni2d.bat" End
REM *****

REM *****
file2img ~encodeoff      archive/get.i2d
REM *****

REM ***** Undo Class-overload test
file2img ~endif      archive/get.i2d

REM ***** Mark End of Transfer (give control back to calling script)
file2img ~EOT      archive/get.i2d      ~EOT
REM *****

REM *****
REM Script "getgeni2d.bat" Generator End
REM *****
```

FIG. 8c

